

SPECIFICATION

THERMAL INFORMATION		TEST PERFORMANCE RESULTS	
DESCRIPTION	RESULTS	DESCRIPTION	RESULTS
U-VALUE	5.71 W/m²K	NEGATIVE PRESSURE	2000 PA
SHGC	0.41	POSITIVE PRESSURE	2000 PA
DESIGN WIND LOAD	2000 PA	WATER PENETRATION	400 PA
6.38mm LAMINATED SAFETY GLASS		STRUCTURAL	3000 PA

*Test results were achieved based on a specific design configuration and size and may differ for other configurations and sizes.

APPLICATIONS

CREALCO				
sliding doors & windows	HOME	MANSION	MALL	TOWER
Rouge sliding window	✓	✓		
Elite sliding window	✓	✓		
500 slenderline sliding window	✓			
1000 sliding window	✓	✓		
700 sliding door	✓	✓		
Rouge sliding door	✓	✓		
Palace high performance sliding door		✓	✓	✓
4500 sliding door		✓		
Clip 38 sliding door		✓	✓	

Crealco product range is available from the following Wispeco Appointed Stockists:



This brochure must be read in conjunction with the Installation, Cleaning & Maintenance Guidelines and Performance Certificates for the relevant system. The Manuals must also be used in conjunction with the design and cutting lists from the latest version of Starfront.



A product of



The Crealco Rouge patio door is the latest domestic sliding door to be added to the Crealco range. With its beautifully balanced aesthetic features this patio door is the most ideal and economical choice for the home owner. The Crealco Rouge has been designed with thermal efficiency at its forefront. The door is designed for single glazing only and can be fabricated as a 2, 3, 4 or 6 panel slider.

FEATURES

- Unique visual aesthetics
- Thermally efficient, even as a single glazing system
- Achieves U-values of less than 6W/m²K when used with laminated glass
- Available with casement window sidelight options
- Has matching horizontally sliding windows
- Performs remarkably well in poor weather conditions

GLAZING

- The system caters for single glazing applications only
- Can accommodate up to 6.38mm laminated glass

GASKET & SEALS

- High quality
- Locally available
- Affordable and reliable

FINISH


- Available in a variety of popular architectural powder coating colours and finishes

HARDWARE

- Designed to accommodate standard local hardware
- Designed to accommodate end caps for interlockers and meeting stiles
- Anti-lift components are available for added security measures
- Full suite of trim components available



TYPICAL CONFIGURATIONS



This brochure must be read in conjunction with the Installation, Cleaning & Maintenance Guidelines and Performance Certificates for the relevant system. The Manuals must also be used in conjunction with the design and cutting lists from the latest version of Starfront.

This brochure must be read in conjunction with the Installation, Cleaning & Maintenance Guidelines and Performance Certificates for the relevant system. The Manuals must also be used in conjunction with the design and cutting lists from the latest version of Starfront.